
## **Digital Kiosks**

55" Floor Standing Digital Kiosk

DKS2-55AP







## Simple & Reliable







4K Resolution

USB Connectivity

Multi-touch















RETAIL

LEISUR

HOSPITALITY HE

HEALTHCARE G

GOVERNMENT

MALLS

Specktron's 55" Digital Kiosk is the ideal solution for a variety of environments, such as hospitality, retail, airports & public spaces. Featuring Ultra HD resolution, 178°/178° wideangle viewing, 450-nit brightness, 5000:1 contrast ratio, 24/7 operation, capacitive touch to deliver messages with vivid clarity in a sleek, slim design. Photo and video files can be played back using the in built Android system and 16GB of internal memory.

PANEL	
Panel Size	55"
Max-Resolution(H x W)	2160 x 3840
Viewing angle	178°
Display colors	16.7 M
Brightness	450 cd/m2
Contrast ratio	5000:1
Respone time	5ms
Display model	9:16
24/7 Operation	Yes
Speakers	2 x 5W















RETAIL

HOSPITALITY HEALTHCARE GOVERNMENT

MALLS

TOUCH	
Touch frame	PCAP
Touch points	2160 x 3840
Viewing angle	10
MEDIA FORMATS	
Video format	AVI(H.264,DIVX,DIV,XVID), rm, rmvb, MKV(H.264, DIVX, DIVX,XVID), WMV, MOV, MP4(H.264,MPEG,DIVX,XVID), DAT(VCD format), VOB(DVD format), PMP, MPEG, MPG, FLV(H.263, H.264), ASF, TS, TP, 3GP, MPG
Audio format	MP3,WMA,MP2,OGG,AAC,M 4A,MA4,FLAC,APE,3GP,WAV.
Picture format	BMP/PNG/GIF/JPEG
Text format	PDF, WORD, PPT, TXT, EXCEL

















RETAIL	LEISURE	HOSPITALITY	HEALTHCARE	GOVERNMENT	MALLS	AIRPORTS
POWER						

POWER	
Power Supply	AC 100~240V 50 /60 HZ
Power Consumption	180W
Standby	<5W
MAINBOARD FEATURES	
CPU	2 x A72 cores + 2 x A53 cores
Memory	4 GB
Storage	16 GB
Internet connection	Wi-FI and LAN
SD Card Support	Yes
Google Play Support	Yes
Scheduled On/ Off Power	Yes
Inputs	HDMI-IN x 1, VGA-IN x 1, USB 3.0 x 2, USB 2.0 x 1, TF Card x 1
Outputs	HDMI-OUT x 1
CMS	Supports pushing content and remote management of unit

















RETAIL

HOSPITALITY HEALTHCARE GOVERNMENT

MALLS

PRODUCT DIMENSIONS	
Dimensions	1961 x 778 x 450 mm
Operating temperature	0°C~50°C
Operating humidity	10%-90%
Storage temperature	-20°C~60°C
Storage humidity	10%-90%

## **SPECKTRON**

Specktron ME DMCC P. O. Box: 34860, #2801 JBC5, Jumeirah Lake Towers, Dubai, U.A.E.

